

S #	Updt	Database	Query	Time	Comment
<u>S179</u>	<u>U</u>	PGPB,USPT	6404445.pn. and (transmi\$5 updat\$5 model)	2006-06-11 22:11:38	
<u>S178</u>	<u>U</u>	PGPB,USPT	6195622.pn. and (transmi\$5 updat\$5 model)	2006-06-11 22:10:17	
<u>S177</u>	<u>U</u>	PGPB,USPT	6195622.pn. and (download\$5 model parameter variable attribute applet transmi\$5)	2006-06-11 21:52:50	
<u>S176</u>	<u>U</u>	PGPB,USPT	((@ad<20000315 and ((distribut\$5 download\$5 transmit\$5 receiv\$5) near3 (model software module applet)) and ((distribut\$5 download\$5 transmit\$5 receiv\$5) near3 (parameter)) and ((user client) near site) and (updat\$5 near (model information data))) and (pric\$5 economic financial)	2006-06-11 21:25:25	
<u>S175</u>	<u>U</u>	PGPB,USPT	((@ad<20000315 and ((distribut\$5 download\$5 transmit\$5 receiv\$5) near3 (model software module applet)) and ((distribut\$5 download\$5 transmit\$5 receiv\$5) near3 (parameter)) and ((user client) near site) and (updat\$5 near (model information data))) and (pric\$5 economic)	2006-06-11 21:25:10	
<u>S174</u>	<u>U</u>	PGPB,USPT	((@ad<20000315 and ((distribut\$5 download\$5 transmit\$5 receiv\$5) near3 (model software module applet)) and ((distribut\$5 download\$5 transmit\$5 receiv\$5) near3 (parameter)) and ((user client) near site)) and (updat\$5 near (model information data))	2006-06-11 21:24:26	
<u>S173</u>	<u>U</u>	PGPB,USPT	((@ad<20000315 and ((distribut\$5 download\$5 transmit\$5 receiv\$5) near3 (model software module applet)) and ((distribut\$5 download\$5 transmit\$5 receiv\$5) near3 (parameter)) and ((user client) near site)) and updat\$5	2006-06-11 21:23:48	
<u>S172</u>	<u>U</u>	PGPB,USPT	((@ad<20000315 and ((distribut\$5 download\$5 transmit\$5 receiv\$5) near3 (model software module applet)) and ((distribut\$5 download\$5 transmit\$5 receiv\$5) near3 (parameter))) and ((user client) near site)	2006-06-11 21:23:33	
<u>S171</u>	<u>U</u>	PGPB,USPT	((@ad<20000315 and ((distribut\$5 download\$5 transmit\$5 receiv\$5) near3 (model software module applet))) and ((distribut\$5 download\$5 transmit\$5 receiv\$5) near3 (parameter))	2006-06-11 21:22:48	
<u>S170</u>	<u>U</u>	PGPB,USPT	@ad<20000315 and ((distribut\$5 download\$5 transmit\$5 receiv\$5) near3 (model software module applet))	2006-06-11 21:22:04	
<u>S169</u>	<u>U</u>	PGPB,USPT	6404445.pn. and (download\$5 model parameter variable attribute)	2006-06-11 20:59:04	
<u>S168</u>	<u>U</u>	PGPB,USPT	6404445.pn. and (download\$5 model parameter	2006-06-	

		variable attribut)	11
			20:58:29
<u>S167</u>	<u>U</u>	PGPB,USPT 6404445.pn. and (download\$5 model parameter variable)	2006-06-11
			20:54:31
<u>S166</u>	<u>U</u>	PGPB,USPT((pric\$7 near model) and parameters and @ad<20000315) and (trans\$5 distribut\$5)	2006-06-11
			19:30:28
<u>S165</u>	<u>U</u>	PGPB,USPT((pric\$7 near model) and parameters and @ad<20000315) and (trans\$7 distribut\$5)	2006-06-11
			19:30:04
<u>S164</u>	<u>U</u>	PGPB,USPT((pric\$7 near model)) and @ad<20000315	2006-06-11
			19:29:43
<u>S163</u>	<u>U</u>	PGPB,USPT((pric\$7 near model)) and parameters	2006-06-11
			19:29:20
<u>S162</u>	<u>U</u>	PGPB,USPT(pric\$7 near model)	2006-06-11
			19:29:04
<u>S161</u>	<u>U</u>	PGPB,USPT(@ad<20000315 and ((transmit\$5 transfer\$5 distribut\$5) near (model equation)) and ((transmit\$5 transfer\$5 distribut\$5) near (parameter))) and (user consumer customer)	2006-06-11
			19:12:35
<u>S160</u>	<u>U</u>	PGPB,USPT(@ad<20000315 and ((transmit\$5 transfer\$5 distribut\$5) near (model equation))) and ((transmit\$5 transfer\$5 distribut\$5) near (parameter))	2006-06-11
			19:12:09
<u>S159</u>	<u>U</u>	PGPB,USPT @ad<20000315 and ((transmit\$5 transfer\$5 distribut\$5) near (model equation))	2006-06-11
			19:11:47
<u>S158</u>	<u>U</u>	PGPB,USPT(@ad<20000315 and ((transmit\$5 transfer\$5 distribut\$5) near3 (model equation))) and ((transmit\$5 transfer\$5 distribut\$5) near (parameter))	2006-06-11
			19:11:29
<u>S157</u>	<u>U</u>	PGPB,USPT(@ad<20000315 and ((transmit\$5 transfer\$5 distribut\$5) near3 (model equation))) and ((transmit\$5 transfer\$5 distribut\$5) near3 (parameter))	2006-06-11
			19:11:19
<u>S156</u>	<u>U</u>	PGPB,USPT @ad<20000315 and ((transmit\$5 transfer\$5 distribut\$5) near3 (model equation))	2006-06-11
			19:10:40
<u>S155</u>	<u>U</u>	PGPB,USPT(((@ad<20000315 and ((transmi\$6 send\$5) near5 (model))) and ((transmi\$6 send\$5) near5 (parameter))) and (7\$/).ccls. and (70\$/).ccls. not @ad<20000315 and ((transmi\$6 send\$5 receiv\$5) near (model equation)) and ((transmi\$6 send\$5 receiv\$5) near (parameter variabile)) and (user consumer customer) not @ad<20000315 and ((transmi\$6 send\$5) near (model equation)) and ((transmi\$5 send\$5) near (parameter)) and (user	2006-06-11
			18:40:51

		consumer customer) not @ad<20000315 and ((transmi\$6 send\$5) near (model equation)) and ((transmi\$5 send\$5) near (parameter)) and (user consumer customer)) and (705/\$).ccls.	
<u>S154</u>	<u>U</u>	PGPB,USPT(((@ad<20000315 and ((transmi\$6 send\$5) near5 (model))) and ((transmi\$6 send\$5) near5 (parameter))) and (7\$/\$).ccls. and (70\$/\$).ccls. not @ad<20000315 and ((transmi\$6 send\$5 receiv\$5) near (model equation)) and ((transmi\$6 send\$5 receiv\$5) near (parameter varaible)) and (user consumer customer) not @ad<20000315 and ((transmi\$6 send\$5) near (model equation)) and ((transmi\$5 send\$5) near (parameter)) and (user consumer customer)) not (@ad<20000315 and ((transmi\$6 send\$5) near (model equation)) and ((transmi\$5 send\$5) near (parameter)) and (user consumer customer))	2006-06-11 18:39:17
<u>S153</u>	<u>U</u>	PGPB,USPT(((@ad<20000315 and ((transmi\$6 send\$5) near5 (model))) and ((transmi\$6 send\$5) near5 (parameter))) and (7\$/\$).ccls. and (70\$/\$).ccls.) not (@ad<20000315 and ((transmi\$6 send\$5 receiv\$5) near (model equation)) and ((transmi\$6 send\$5 receiv\$5) near (parameter varaible)) and (user consumer customer) not @ad<20000315 and ((transmi\$6 send\$5) near (model equation)) and ((transmi\$5 send\$5) near (parameter)) and (user consumer customer))	2006-06-11 18:39:05
<u>S152</u>	<u>U</u>	PGPB,USPT(((@ad<20000315 and ((transmi\$6 send\$5) near5 (model))) and ((transmi\$6 send\$5) near5 (parameter))) and (7\$/\$).ccls.) and (70\$/\$).ccls.	2006-06-11 18:38:37
<u>S151</u>	<u>U</u>	PGPB,USPT(((@ad<20000315 and ((transmi\$6 send\$5) near5 (model))) and ((transmi\$6 send\$5) near5 (parameter)))) and (7\$/\$).ccls.	2006-06-11 18:37:38
<u>S150</u>	<u>U</u>	PGPB,USPT(@ad<20000315 and ((transmi\$6 send\$5 receiv\$5) near (model equation)) and ((transmi\$6 send\$5 receiv\$5) near (parameter varaible)) and (user consumer customer)) not (@ad<20000315 and ((transmi\$6 send\$5) near (model equation)) and ((transmi\$5 send\$5) near (parameter)) and (user consumer customer))	2006-06-11 18:13:05
<u>S149</u>	<u>U</u>	PGPB,USPT(@ad<20000315 and ((transmi\$6 send\$5 receiv\$5) near (model equation)) and ((transmi\$6 send\$5 receiv\$5) near (parameter varaible))) and (user consumer customer)	2006-06-11 18:12:51
<u>S148</u>	<u>U</u>	PGPB,USPT(@ad<20000315 and ((transmi\$6 send\$5 receiv\$5) near (model equation))) and ((transmi\$6 send\$5 receiv\$5) near (parameter varaible))	2006-06-11 18:12:30
<u>S147</u>	<u>U</u>	PGPB,USPT@ad<20000315 and ((transmi\$6 send\$5 receiv\$5) near (model equation))	2006-06-11

			18:11:47
<u>S146</u>	<u>U</u>	PGPB,USPT(@ad<20000315 and ((transmi\$6 send\$5) near (model equation)) and ((transmi\$5 send\$5) near (parameter))) and (user consumer customer)	2006-06-11 18:09:21
<u>S145</u>	<u>U</u>	PGPB,USPT(@ad<20000315 and ((transmi\$6 send\$5) near (model equation))) and ((transmi\$5 send\$5) near (parameter))	2006-06-11 18:08:52
<u>S144</u>	<u>U</u>	PGPB,USPT @ad<20000315 and ((transmi\$6 send\$5) near (model equation))	2006-06-11 18:08:17
<u>S143</u>	<u>U</u>	PGPB,USPT(@ad<20000315 and (transmi\$6 near (model equation)) and (transmi\$6 near (parameter variable))) and user	2006-06-11 18:04:16
<u>S142</u>	<u>U</u>	PGPB,USPT(@ad<20000315 and (transmi\$6 near (model equation))) and (transmi\$6 near (parameter variable))	2006-06-11 18:03:47
<u>S141</u>	<u>U</u>	PGPB,USPT @ad<20000315 and (transmi\$6 near (model equation))	2006-06-11 18:02:09
<u>S140</u>	<u>U</u>	PGPB,USPT(@ad<20000315 and ((transmi\$6 send\$5) near5 (model)) and ((transmi\$6 send\$5) near5 (parameter)) and ((transmi\$5 send\$5) near5 user)) and (7\$/\$.ccls.	2006-06-06 18:28:51
<u>S139</u>	<u>U</u>	PGPB,USPT(@ad<20000315 and ((transmi\$6 send\$5) near5 (model)) and ((transmi\$6 send\$5) near5 (parameter)) and ((transmi\$5 send\$5) near5 user)) and (price pricing)	2006-06-06 18:26:11
<u>S138</u>	<u>U</u>	PGPB,USPT(@ad<20000315 and ((transmi\$6 send\$5) near5 (model)) and ((transmi\$6 send\$5) near5 (parameter))) and ((transmi\$5 send\$5) near5 user)	2006-06-06 18:14:42
<u>S137</u>	<u>U</u>	PGPB,USPT(@ad<20000315 and ((transmi\$6 send\$5) near5 (model)) and ((transmi\$6 send\$5) near5 (parameter))) and (price pricing)	2006-06-06 18:07:10
<u>S136</u>	<u>U</u>	PGPB,USPT(@ad<20000315 and ((transmi\$6 send\$5) near5 (model)) and ((transmi\$6 send\$5) near5 (parameter))) and ((price pricing) near5 (model equation))	2006-06-06 17:26:35
<u>S135</u>	<u>U</u>	PGPB,USPT(@ad<20000315 and ((transmi\$6 send\$5) near5 (model))) and ((transmi\$6 send\$5) near5 (parameter))	2006-06-06 17:25:13
<u>S134</u>	<u>U</u>	PGPB,USPT @ad<20000315 and ((transmi\$6 send\$5) near5 (model))	2006-06-06 17:24:31
<u>S133</u>	<u>U</u>	PGPB,USPT(@ad<20000315 and (transmi\$6 near (model parameters variables)) and (price prici\$5) and ((transm\$7 send\$5) near5 user) and ((transmi\$5 send\$5) near parameter)) and ((transmi\$5 send\$5) near5 model)	2006-06-06 17:17:05
<u>S132</u>	<u>U</u>	PGPB,USPT(@ad<20000315 and (transmi\$6 near (model parameters variables)) and (price prici\$5) and	2006-06-06

		((transm\$7 send\$5) near5 user)) and ((transmi\$5 send\$5) near parameter)	17:15:24
<u>S131</u>	<u>U</u>	PGPB,USPT (@ad<20000315 and (transmi\$6 near (model parameters variables)) and (price prici\$5)) and ((transm\$7 send\$5) near5 user)	2006-06-06 17:14:30
<u>S130</u>	<u>U</u>	PGPB,USPT (@ad<20000315 and (transmi\$6 near (model parameters variables))) and ((price prici\$5) near5 model)	2006-06-06 17:11:25